

**WOODLAWN DRIVE AT CLAXTON DAIRY ROAD ROUNDABOUT**  
**PREPARED FOR:**

**THE CITY OF DUBLIN, GEORGIA**

**T&H PROJECT NO.**  
**J-30848.0001**

**ADDENDUM NO. 2**

**January 28, 2026**

**GENERAL**

This Addendum has been issued on behalf of the City of Dublin. The following information should be considered by prospective bidders in preparation of their proposals and is hereby incorporated into the Proposal Documents. Bidders shall be responsible for acknowledging receipt of this addendum in the Bid Form, Document 00313. Failure to do so will result in the proposal being considered non-responsive.

**PART I – CONTRACT DOCUMENTS:**

The Proposal Documents shall be changed in the following respects:

**SECTION 00313 – BID FORM**

1. On Page 4, Line Item #1020, is revised to read:

1020	Lighting Allowance Prepayment	1	LS		\$ 45,000.00
------	-------------------------------	---	----	--	--------------

2. Delete and replace with the attached Section 00313 – “Bid Form”.
3. Bidders must use the enclosed form. **NO OTHER FORM SHALL BE ACCEPTED.**

**THOMAS & HUTTON**



Corey Cook, PE  
Project Manager

End of ADDENDUM NO. 2

**DOCUMENT 00313****BID FORM**

---

**PROJECT IDENTIFICATION:** Woodlawn Drive and  
Claxton Dairy Road Roundabout

**CONTRACT IDENTIFICATION  
AND NUMBER:** J –30848.0000

**THIS BID IS SUBMITTED TO:** City of Dublin Engineering

---

1. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Bid Price and within the Bid Times indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.
2. BIDDER accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 90 days after the day of Bid opening, or for such longer period of time BIDDER may agree to in writing upon request of OWNER.
3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:
  - a. BIDDER has examined and carefully studied the Plans and Specifications for the work and contractual documents related thereto, and has read all Technical Provisions, Supplementary Conditions, and General Conditions, furnished prior to the opening of Bids and can fulfill the requirements of the work to be performed.
  - b. BIDDER further acknowledges hereby receipt of the following Addenda:

ADDENDUM NO.	DATE
1	01/27/2026
2	01/28/2026

- c. BIDDER has visited the site and become familiar with and is satisfied as to the general, local and site conditions possibly affecting cost, progress, performance and furnishing of the Work.
  - d. BIDDER is familiar with and is satisfied to all federal, state, and local Laws and Regulations possibly affecting cost, progress, performance and furnishing of the Work.
  - e. BIDDER has carefully studied all reports of explorations and tests of subsurface conditions at or contiguous to the site and all drawings of physical conditions in or relating to existing surface or subsurface structure at or contiguous to the site

(except underground Facilities) have been identified in the Supplementary Conditions. BIDDER acknowledges such reports and drawings are not Contract Documents and may not be complete for BIDDER's purposes. BIDDER acknowledges OWNER and Engineer do not assume responsibility for the accuracy or completeness of information and data shown or indicated in the Bidding Documents with respect to Underground Facilities at or contiguous to the site. BIDDER has obtained and carefully studied (or assumes responsibility for having done so) all such additional or supplementary examinations, investigations, explorations, tests, studies and data concerning conditions (surface, subsurface and Underground Facilities) at or contiguous to the site or otherwise which may affect cost progress, performance or furnishing of the work or which relate to any aspect of the means, methods, techniques, sequences and procedures of construction to be employed by BIDDER and safety precautions and programs incident thereto. BIDDER does not consider any additional examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance and furnishing of the Work in accordance with the times, price and other terms and conditions of the Bidding Documents.

- f. BIDDER is aware of the general nature of Work to be performed by Owner and others at the site relating to Work for which this Bid is submitted as indicated in the Bidding Documents.
  - g. BIDDER has correlated the information known to BIDDER, information and observations obtained from visits to the site, reports and drawings identified in the Bidding Documents and all additional examinations, investigations, explorations, tests, studies, and data with the Bidding Documents.
  - h. BIDDER has given ENGINEER written notice of all conflicts, errors, ambiguities, or discrepancies BIDDER has discovered in the Bidding Documents and the written resolution thereof by ENGINEER is acceptable to BIDDER. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performing and furnishing the Work for which this Bid is submitted.
  - i. This bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other Bidder or over OWNER.
4. BIDDER will complete the Work in accordance with the Contract Documents for the following price(s):

WOODLAWN DRIVE AND CLAXTON DAIRY ROAD ROUNDABOUT					
ITEM	DESCRIPTION	QUANTITY		COST	
		UNITS	MEASURE	PER UNIT	TOTAL COST
ROADWAY CONSTRUCTION					
150-1000	Traffic Control	1	LS		\$ -
151-1000	Mobilization	1	LS		\$ -
163-0232	Temporary Grassing	4	AC		\$ -
163-0240	Mulch	38	TN		\$ -
163-0301	Construct and Remove Construction Exits	2	EA		\$ -
163-0550	Construct and Remove Inlet Sediment Trap	32	EA		\$ -
165-0010	Maintenance of Temporary Silt Fence, Type A	2,900	LF		\$ -
165-0101	Maintenance of Construction Exits	2	EA		\$ -
165-0105	Maintenance of Inlet Sediment Traps	32	EA		\$ -
167-1000	Water Quality Monitoring and Sampling	1	EA		\$ -
167-1500	Water Quality Inspections	9	MO		\$ -
171-0010	Temporary Silt Fence, Type A	2,900	LF		\$ -
205-0001	Unclass Excav	200	CY		\$ -
207-0203	Found Bkfill Matl, Tp 2	160	CY		\$ -
210-0100	Grading Complete	1	LS		\$ -
310-5080	Gr Aggr Base Crs, 8 Inch, Incl Material	2,500	SY		\$ -
402-1812	Recycled Asph Conc Leveling, Inc Bitum Matl & H Lime	600	TN		\$ -
402-3130	Aph Conc 12.5 MM Superpave, GP 2 Only, Incl Bitum Matl & H Lime (1.5")	900	TN		\$ -
402-3190	Asph Conc 19mm Superpave, GP 1 or 2, Incl Bitum Matl & H Lime (2")	200	TN		\$ -
413-0750	Tack Coat	900	GL		\$ -
432-0206	Mill Asph Conc Pvmt, 1 1/2 Inch Depth	800	SY		\$ -
439-0022	Plain PC Conc Pvmt, CL 3 Conc, 10 Inch Thk	800	SY		\$ -
441-0104	Conc Sidewalk, 4 In	900	SY		\$ -
441-0748	Concrete Median, 6 In	600	SY		\$ -
441-5001	Concrete Header Curb, 4 in, TP 1	200	LF		\$ -
441-5004	Concrete Header Curb, 10 in, TP 4	92	LF		\$ -
441-5025	Concrete Header Curb, 4 In, TP 9	400	LF		\$ -
441-6222	Conc Curb & Gutter, 8in X 30in, TP 2	2,400	LF		\$ -

441-6745	Conc Curb & Gutter, 8in X 32in, TP 9	300	LF		\$ –
446-1100	Pvmt Reinf Fabric Strips, TP2, 18 Inch Width	800	LF		\$ –
500-9999	Class B Conc, Base or Pvmt Widening	100	CY		\$ –
550-5180	Storm Drain Pipe, 18 In, Class III	155	LF		\$ –
550-5240	Storm Drain Pipe, 24 In, Class III	270	LF		\$ –
550-5360	Storm Drain Pipe, 36 In, Class III	185	LF		\$ –
550-5480	Storm Drain Pipe, 48 In, Class III	290	LF		\$ –
611-8050	Adjust Manhole to Grade	8	EA		\$ –
634-1200	Right Of Way Markers	14	EA		\$ –
636-1033	Highway Signs, TP1 Matl, Refl Sheeting, TP9	25	SF		\$ –
636-1036	Highway Signs, TP1 Matl, Refl Sheeting, TP11	175	SF		\$ –
636-1041	Highway Signs, TP2 Matl, Refl Sheeting, TP9	175	SF		\$ –
636-2070	Galv Steel Posts, TP7	910	LF		\$ –
653-0130	Thermoplastic Pvmt Marking, Arrow, TP 3	4	EA		\$ –
653-0296	Thermoplastic Pvmt Marking, Word, TP 15	4	EA		\$ –
653-1804	Thermoplastic Solid Traf Stripe, 8 In, White	2,330	LF		\$ –
653-1906	Thermoplastic Solid Traf Stripe, 6 In, White	3,315	LF		\$ –
653-2602	Thermoplastic Solid Traf Stripe, 6 In, Yellow	4,690	LF		\$ –
653-4830	Thermoplastic Skip Traf Stripe, 18 In, White	100	GLF		\$ –
653-6006	Thermoplastic Traf Striping, Yellow	460	SY		\$ –
668-2100	Drop Inlet, GP 1	15	EA		\$ –
668-4300	Storm Sewer Manhole, TP1	3	EA		\$ –
668-5000	Junction Box	1	EA		\$ –
668-7018	Drain Inlet, 18 In	3	EA		\$ –
700-6910	Permanent Grassing	2.00	AC		\$ –
700-7000	Agricultural Lime	6.00	TN		\$ –
700-8000	Fertilizer Mixed Grade	2.00	TN		\$ –
700-8100	Fertilizer Nitrogen Content	80	LB		\$ –
1005	Install 1" PVC Line, Service Line, and Meter	1	LS		\$ –
1010	Adjust Gas Valves	2	EA		\$ –
1015	Adjust Water Valves	2	EA		\$ –
1020	Lighting Allowance Pre-payment	1	LS		\$ 45,000.00
1025	Red Maple 15 gal	4	EA		\$ –
1026	Green Velvet Boxwood 3 gal.	50	EA		\$ –

1027	Emerald Sod 2 pallets	2	EA		\$ –
1028	Flats of Annual Color	25	EA		\$ –
1029	Bales of Straw	50	EA		\$ –
1030	Steel Edging	1	LS		\$ –
1031	Irrigation (Drip with Timer)	1	LS		\$ –
1032	Labor to Landscape	1	LS		\$ –
1033	Landscape Fabric and Staples	1	LS		\$ –
1034	Relocate Fire Hydrant	1	EA		\$ –
Sub-Total, ROADWAY CONSTRUCTION					\$ –
<b>TOTAL PROJECT</b>					<b>\$</b>

**TOTAL BID:**

\_\_\_\_\_ Dollars

\$ \_\_\_\_\_

Unit Prices have been computed in accordance with paragraph 11.03.C of the General Conditions.

BIDDER acknowledges estimated quantities are not guaranteed and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Bid items will be based on actual quantities determined as provided, determined as provided in the Contract Documents.

5. BIDDER agrees the Work will be substantially complete within 270 calendar days after the date when the Contract Times commence to run as provided in paragraph 2.03 of the General Conditions and completed and ready for final payment in accordance with paragraph 14.07 of the General Conditions within 300 calendar days after the date when the Contract Times commence to run.
6. BIDDER accepts provisions of the Agreement as to liquidated damages in the event of failure to complete the Work within times specified in the Agreement.
7. The following documents are attached to and made a condition of this Bid:
  - a. Required Bid Security in the form of 10 percent of the Bid Total Price.
8. The undersigned further agrees in case of failure on his/her part to execute the said contract and the Bond within 30 consecutive calendar days after written notice being given of the award of the contract, the check or bid bond accompanying this bid, and the monies payable thereon shall be paid into the funds of the Owner as liquidated damages for such failure, otherwise, the check or bid bond accompanying this proposal shall be returned to the undersigned.

9. Communications concerning this Bid shall be addressed to:

Doyle D. Kelley, P.E.  
Thomas & Hutton  
50 Park of Commerce Way  
Savannah, GA 31405  
(912)721-4160  
[kelley.d@tandh.com](mailto:kelley.d@tandh.com)

10. Terms used in this Bid which are defined in the General Conditions or Instructions will have the meanings indicated in the General Conditions of Instructions.

SUBMITTED \_\_\_\_\_ 2026.

\_\_\_\_\_  
CONTRACTOR'S NAME

ADDRESS:

\_\_\_\_\_  
\_\_\_\_\_

BY: \_\_\_\_\_

\_\_\_\_\_

State Contractor License No. \_\_\_\_\_